

Safety Data Sheet

Company: Yamato Gokin Co., Ltd.
 Address: 〒354-0045
 474 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan

Department: Sales
 Contact: Head of Sales
 Phone #: 049-273-6006
 Fax #: 049-273-6016

Emergency Contact
 Facility: Miyoshi Gokin Kogyo Co., Ltd.
 Address: 〒354-0045
 508 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan

Department: Quality Assurance
 Contact: Head of Quality Assurance
 Phone #: 049-258-3381
 Fax #: 049-258-5279

Document Creation: 2018.06.07
 English Translation: 2018.06.12

1. Product Name

Special high-strength brass
 CAC301 , CAC302 , CAC303(YC,YF,YE) , CAC304(YMB-4) , YRW , UZ19A6

2.GHS Classification

These alloys are unclassified; GHS classification information for constituent elements is listed below.

2.1 Copper (Cu)

Physical Hazards	Not Classified	
Health Hazards	Skin Sensitization STOT - Single Exposure	Category 1A Category 1 (digestive organs) Category 3 (respiratory irritation)
Environmental Hazards	Not Classified	

GHS Label Elements
 Pictogram



Signal Word	Danger / Warning
Hazard Statements	H317: May cause an allergic skin reaction H335: May cause respiratory irritation H370: Causes damage to organs (digestive organs)

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.
 Do not inhale dust / fumes.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.

Emergency Measures IF ON SKIN: Wash with plenty of water.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF exposed or concerned: Call a doctor.
 If skin irritation or rash occurs: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a doctor.
 Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.2 亜鉛(Zn)

Physical Hazards	Not Classified	
Health Hazards	Eye irritant	Category 2B
Environmental Hazards	Aquatic environmental toxicity (acute)	Category 1
	Aquatic environmental toxicity (chronic)	Category 1

GHS Label Elements
 Pictogram



Signal Word Danger/Warning

Hazard Statement H320: Causes eye irritation
 H400: Very toxic to aquatic life
 H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.
 Do not inhale dust / fumes.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Avoid release to the environment.
 Collect spillage.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.

Emergency Measures
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes.
 After that, remove contact lenses in case of wearing them.
 Keep rinsing material away from eyes.
 If eye irritation persists: Get medical advice / attention.
 If experiencing respiratory symptoms: Call a doctor.
 Wash contaminated clothes before reusing.


Storage Store locked up.

Risks not covered by GHS classification None known

2.3 Aluminum (Al)

Physical Hazards	Water-reactive combustible substance	Category 2.3
Health Hazards	STOT – single exposure STOT – repeated exposure	Category 1 (respiratory organs) Category 1 (respiratory organs)
Environmental Hazards	Not Classified	

GHS Label Elements
 Pictogram



Signal Word Danger / Warning

Hazard Statement
 H261: In contact with water releases flammable gas
 H370: Causes damage to organs (respiratory organs)
 H372: Causes damage to organs through prolonged or repeated exposure

Precautionary Statements

Safety Measures
 Minimize generation and build-up of dust particles.
 Do not inhale dust / fumes.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.

Emergency Measures
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF exposed or concerned: Call a doctor.
 If skin irritation or rash occurs: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a doctor.
 Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.4 Manganese (Mn)

Physical Hazards	Not Classified	
Health Hazards	Mild skin irritation Eye irritant Reproductive toxicity STOT – single exposure STOT – repeat exposure	Category 3 Category 2B Category 1B Category 1 (respiratory organs) Category 1 (respiratory organs, nerves)
Environmental Hazards	Aquatic environmental chronic toxicity	Category 4

GHS Label Elements
Pictogram



Signal Word	Warning / Danger
Hazard Statements	H316: Causes mild skin irritation H320: Causes eye irritation H360: May damage fertility or the unborn child H370: Causes damage to organs (respiratory organs) H372: Causes damage to organs through prolonged or repeat exposure (respiratory organs, nerves)
Precautionary Statements Safety Measures	Minimize generation and build-up of dust particles. Do not inhale dust / fumes. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.
Emergency Measures	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Call a doctor. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a doctor. Wash contaminated clothes before reusing.
Storage	Store locked up.

Risks not covered by GHS classification None known

2.5 Nickel (Ni)


Physical Hazards	Not Classified
Health Hazards	Not Classified
Environmental Hazards	Not Classified

Risks not covered by GHS classification None known

2.4 Silicon (Si)

Physical Hazards	Flammable solid	Category 2
Health Hazards	Eye irritant	Category 2B
Environmental Hazards	Not Classified	

GHS Label Elements
Pictogram



Signal Word	Warning
Hazard Statement	H228: Flammable Solid H320: Causes eye irritation

Precautionary Statements	
Safety Measures	Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.
Emergency Measures	IF ON SKIN: Wash with plenty of water.
Storage	Store locked up.

Risks not covered by GHS classification None known

3. Material Characteristics

Classification	: Mixture
Scientific Name	: Copper-Aluminum-Iron-Manganese-Nickel Alloy
Hazardous Ingredients	:

Names and composition (mass%) of Class 1 Designated Chemical Substances as per the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" (PRTR Law)

	Cu	Zn	Al	Fe	Mn	Ni	Si
Item	Copper	Zinc	Aluminum	Iron	Manganese	Nickel	Silicon
CAC301 Composition	bal.	33.0~42.0	0.5~1.5	0.5~1.5	0.5~1.5	-	-
CAC302 Composition	bal.	30.0~42.0	3.0~5.0	0.5~2.0	0.5~3.5	-	-
CAC303(YC,YF,YE) Composition	bal.	22.0~28.0	3.0~5.0	2.0~4.0	2.5~5.0	-	-
CAC304(YMB-4)	bal.	22.0~28.0	5.0~7.5	2.0~4.0	2.5~5.0	-	-
YRW Composition	bal.	25.0~30.0	2.0~5.0	≤1.5	2.0~4.0	≤1.5	0.3~1.0
CuZn19Al6(UZ19A6) Composition	bal.	16.5~21.0	5.5~7.5	2.0~4.0	4.0~7.0	-	-
Government No.	N/A	N/A	N/A	N/A	412	308	N/A
CAS No.	7440-50-8	7440-66-6	7429-90-5	7439-89-6	7439-96-5	7440-02-0	7440-21-3

4. First-Aid Measures

- Damage from fumes or dust
 - Immediately remove victim to fresh air.
 - If victim has trouble breathing, assist with breathing and seek medical attention.
- Eye contact
 - If foreign matter enters the eyes, do not rub. Wash out eyes with plenty of water.
 - If irritation persists, seek medical attention.
- Skin contact
 - Brush off foreign matter with hands and wash the affected area well with water.
 - If irritation persists, seek medical attention.

5. Fire-Fighting Measures

Not applicable (non-combustible)

6. Accidental Release Measures

Product is a solid, so accidental release / spillage is not a concern under normal environmental conditions

7. Handling and Storage

- No special handling needed, though wearing gloves is recommended when handling products with sharp corners and edges.
- In high-humidity locations, store product indoors.

8. Exposure Controls / Personal Protection

Melting, casting, cutting, thermal cutting and grinding are classified as "dusty work" according to the "Ordinance on Prevention of Hazards Due to Dust," and must be managed accordingly.

- Keep source of dust sealed, or install local exhaust ventilation system
- Wear respiratory protective equipment
- Periodically clean up accumulated dust
- If dust gets on work clothes, clean clothes by washing
- Wash hands and gargle after working

Permissible Exposure Limit

Material	Form	Permissible Density (mg/m ³)	
		Japan Society for Occupational Health	ACGIH
Cu	Fumes	—	0.2
	Dust and mist (as Cu)	—	1
Zn	Zinc (as zinc oxide fumes)	Under review	Under review
Al	Aluminum	—	10
Fe	(Iron oxide) Respirable dust	1	—
	Iron oxide (as Fe weld dust)	—	5
	Water soluble iron-salt (as Fe)	—	1
Mn	Metal and Mn inorganic compound particles	0.2	0.2
Ni	Particles	1	1.5
Si	Particles	—	10

9. 物理的及び化学的性質

Appearance	:	Yellow luster
Relative Den:	:	7.9
Boiling Point	:	N/A
Melting Point	:	1040°C
Solubility	:	Insoluble in water
Odor	:	Odorless

10. Stability and Reactivity

- Stable under normal handling conditions.
- Contact with acid or similar chemical substance may produce hydrogen gas.

11. Toxicological Information

- Acute Toxicity
 - Inhaling dust particles from fumes, etc. may induce the following: cough, chest pain, fever.
- Chronic Toxicity
 - Inhaling dust particles from fumes, etc. may induce the following: pneumoconiosis.
- Carcinogenicity
 - Nickel
 - Japan Society for Occupational Health : 2B
 - ACGIH : A5

12. Ecogological Information

- No data on the ecological effects of this product is currently available.

13. Disposal Considerations

- Dispose of product in an environmentally conscious and appropriate manner. Disposal must be in accordance with all applicable industrial waste regulations, including prefectural and municipal requirements.

14. Transport Information

- None in particular. During sea transport, minimizing the product's exposure to sea water is recommended.

15. Applicable Regulatory Laws

- Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management
- Industrial Safety and Health Law

16. Other Information

The information on this data sheet was compiled based on our current knowledge and available documentation. It may be replaced in the event that new information becomes available.

Furthermore, the precautions presented herein apply only to normal handling of the product, and do not constitute a guarantee of safety.

Cited References

Handbook of Industrial Poisoning (Ishiyaku Publishers Inc.)
Hazardous Materials Handbook (Maruzen Publishing Co., Ltd.)
Metals Data Book (Maruzen Publishing Co., Ltd.)
NITE Chemical Information Risk Platform (CHRIP)